

Groupama Race 2022 Card Inspection Monohull

The skipper is responsible for checking that the boat and its equipment comply with the Special Offshore Regulations for World Sailing offshore racing. This list is not exhaustive and reference should be made to the Special Offshore World Sailing Regulations published in full on the World Sailing website :

https://www.sailing.org/tools/documents/WSOffshoreSpecialRegulations20222023v2-[27823].pdf

New Caledonia GROUPAMA RACE 2022 is an offshore race ORS 3 + Liferaft and OA specifications (CF NOR) The Organizing Authority (OA) also imposes additional equipment (see <u>notice of race</u>). This additional equipment is specified in this list by the mention OA.

- Person in charge please prepare the boat and sign the card.
- Inspectors mark each item with a tick or cross in the check box. Write an additional report if necessary.

| Yacht Name : | Name on the race : | |
|--------------------------|--------------------|-------------------|
| MMSI | Sail Number : | |
| Indicatif VHF | Type of boat | |
| Satellite phone number : | Rating certificat | ORC – IRC - other |

Crew members :

Number of crew :



Safety equipment must be commensurate with the number of persons on board.

At least 30% of the crew including the skipper shall have completed at Sea survival Certificate World Sailing approved. Copies of the crew members current certificates shall be provided. At least one crew member on the boat shall have a Senior First Aid Certificate or equivalent or higher qualification.

All crew shall have a Personal Location Beacon. PLB 406 beacon worn at all time.

| Person in charge : | Tel : |
|--------------------------------------|--------|
| Inspectors : | Date : |
| Inspector's report to race committee | |

Disclaimer of Liability: The inspection is carried out as a courtesy. An inspector cannot limit or reduce the complete and unlimited responsibility of the owner and the person in charge.

""I, the undersigned, declare that I am the owner or the person responsible for the above-named boat and that I have read and understood the provisions of the Special Offshore Regulations applicable during the race (RSO 3 with raft) and in particular chapters 1.02. 1, 1.02.2 and 1.02.03 (Responsibilities of the person in charge) and chapters 2.02 (Control) and 2.03 (General obligations). I also certify that the boat and the crew for which I am responsible comply with all the applicable provisions relating to monohull category 3 RSO with raft, as well as the government provisions in force concerning the safety and equipping of ships (division 240 category B ship) and only to the specific requests of the organizing authority in terms of safety."

This list, which is not exhaustive, takes into account the provisions of the RSO Category 3R, the imperatives of Maritime Affairs and the specific requests of the Organizing Authority.

All equipment shall: function properly; be regularly checked, cleaned, and serviced; when not in use be. stowed in conditions in which deterioration is minimised; be readily accessible; be of a type, size and capacity suitable and adequate for the intended use and size of the boat.

Heavy items must be securely fastened or fixed in place.

| Communication Equipment: Transmission test with the PC course | | | | |
|---|--------------|-----------|--|--|
| | Transmission | Reception | | |
| VHF minimum power 25 watts audible inside and outside the boatASN | | | | |
| linked to GPS | | | | |
| AIS Transponder capable of transmitting & receiving | | | | |
| 1 watertight handheld VHF radio transceivers stowed in grab bag | | | | |
| Radio receiver for weather bulletins (handheld VHF ok) | | | | |
| Satellite phone n° | | | | |
| Location beacon provided by the organization | | | | |
| 406MHz EPIRB - identity number? (optional) | | | | |

| Identification | | |
|---------------------------------------|--------------|-----------|
| | Transmission | Reception |
| Sails Numbers as per RRS appendix G | | |
| Name on all buoyant equipment & items | | |

| Lay out on Chart Table or other Surface | | | |
|--|-----------------|------------|-------------------------------------|
| | Special Regs | Ownercheck | Completed Inspection /Comment |
| Proof that boat meets ISO 12217-2 category B or equivalent stability | 3.04.1 | | |
| Navigational charts (not solely electronic), light list and chart plotting equipment Suggested nautical charts : SHOM 7268 – Nouvelle-Calédonie - Iles Loyauté SHOM 6687 - Abords de Noumea - Passes de Boulari et Dumbea SHOM 7273 - de Noumea à la Baie de Saint Vincent SHOM 7320 - de Koumac à Poum SHOM 7645 - Canal de la Havannah et canal woodin SHOM 6986 De port Ounia au Cap N'doua SHOM 7051 Du cap Colnett à Touho | 4.11.1 | | |
| Servicing certificate for each liferaft | 4.20.5b | | |

| Lay out on bunks | | |
|---|---------|--|
| PLBs : regulary tested, registred with AMSA in user's name | OA | |
| Emergency antenna when the regular antenna depends upon the mast | 3.29.1 | |
| 1 watertight handheld VHF radio transceiver or with a waterproof cover stowed in grab bag | 3.29.5 | |
| 2nd radio capable of receiving weather, could be the handheld VHF | 3.29.06 | |
| First Aid Manual and First Aid Kit | 4.08 | |

| On board pharmacy: appendix 1 | OA |
|--|--------|
| Foghorn | 4.09 |
| Tools, spare parts, method to disconnect/sever standing rigging | 4.16 |
| Check all flare expiry dates | 4.23 |
| Personal PFD (150N) : 1 per crew | 5.01 |
| Worn on deck at all time | |
| Whistle attached | |
| Crotch or thigh straps fitted | |
| Personal light (strobe or SOLAS LSA 2.2.3) | |
| At least one spare PFD (as required in OSR 5.01.1) is required | 5.01.3 |
| Lifejacket with light, whistle etc, 1 for each crew, marked with name | 5.01.1 |
| Each lifejacket has crotch or thigh straps | 5.01.1 |
| Each lifejacket has a sprayhood | 5.01.1 |
| Each inflatable lifejacket has spare cylinder (activation head) | 5.01.2 |
| Each lifejacket inspected by person in charge, within last 12 months | 5.01.4 |
| Safety harness for each crew | 5.02.1 |
| For each crew. tether with overload flag | 5.02.2 |
| For each crew a tether not exceeding $1m (3'3'')$ including the length of the hooks, or an intermediate self-closing hook on a $2 m (6'-6'')$ tether | 5.02.3 |

| BELOW DECK On one or more berths show the following : | | |
|---|---------|--|
| At least 2 exits, at least 1 forward of the foremost mast | 3.06.1 | |
| Portlights not conforming with 3.08.1 and 3.08.2 labelled "NOT TO BE OPENED AT SEA" | 3.08.3 | |
| Sea cocks or valves on through-hull openings below waterline | 3.10 | |
| Heel of keel-stepped mast is secured to structure | 3.12 | |
| Toilet or fitted bucket, permanently installed | 3.18.2 | |
| Bunks, permanently installed | 3.19.2 | |
| Cooking stove, securely fastened with fuel shut-off | 3.20 | |
| Water delivery pump and tank | 3.21.1 | |
| Handholds below deck | 3.22 | |
| Spare bulbs for navigation lights (not required for LED) | 3.27.4 | |
| Engine permanently installed and securely covered | 3.28.1 | |
| Separate starting battery or hand-starting device | 3.28.4a | |
| All batteries are of sealed type | 3.28.4b | |
| 25W DSC enabled VHF with masthead antenna & programmed MMSI | 3.29.2 | |
| Tapered soft wood plug at each through-hull fitting | 4.03 | |
| A fire blanket adjacent to every cooking device | 4.05.1 | |
| 2 fire extinguishers, 2kg each, accessible, in different parts of the boat | 4.05.2 | |
| Safety equipment location chart | 4.12 | |

| At Helm, Ready for Rapid Deployment | | |
|---|--------|--|
| Lifebuoy with self-igniting light, whistle and drogue | 4.22.3 | |
| Heaving line min.6mm, 15-25m | 4.22.7 | |
| Recovery sling | 4.22.8 | |

| On Deck, Where Stowed or Ready for Deployment | | |
|---|---------------------|--|
| Hatch blocking devices attached and can be secured in | place 3.08.4b | |
| Watertight high powered searchlight with spare batter | ies and bulbs 4.07a | |
| Watertight flashlight with spare batteries and bulbs | 4.07b | |
| Liferaft(s) capable of carrying the whole crew | 4.20.1a | |
| N° of liferaft Total crew capac | ity | |
| Liferaft SOLAS A Pack | 4.20.2a | |

| | | 4 20 2 | | |
|-----------------------|--|--------|--|--|
| Liferaft(s) stowed in | rigid container, or valise in dedicated locker | 4.20.3 | | |
| A strong, sharp knife | , sheathed and securely restrained | 4.25 | | |
| | | | | |

| Rigged/Fitted to Demonstrate Use | | |
|--|---------|--|
| Navigation lights, above sheerline and not obscured when sailing | 3.27.2 | |
| Reserve navigation lights, powered independently | 3.27.3 | |
| Alternate method for displaying sail letters and numbers | 4.01.2 | |
| Jackstays to permit crew to move between working areas | 4.04.2 | |
| Clipping points at working areas so that 2/3rds crew can clip on | 4.04.3c | |
| Radar reflector | 4.10.1 | |
| Emergency tiller | 4.15.1 | |
| Alternative steering method | 4.15.2 | |
| Storm trysail or mainsail reefing to reduce the luff by at least 40% | 4.26.1c | |
| Heavy weather jib | 4.26.2 | |

| General | |
|--|---------|
| All equipment is readily available, adequately sized and functions | 2.04.1 |
| Heavy items are permanently installed or securely fastened | 2.04.2 |
| Boat properly rigged, fully seaworthy and shall meet the OSR | 3.01.1 |
| Forward hatches open outward only | 3.08.1 |
| Hatches are attached, above water at 90° heel & operable if capsized | 3.08.2 |
| Companionway sill is above local sheerline, or acceptable alternative | 3.08.5 |
| Cockpit that self-drain quickly by gravity at all angles of heel and meets OSR | 3.09 |
| size and drainage | |
| Lifelines & pulpits, surround deck, 600mm minimum high | 3.14 |
| Lifeline materials and diameters meet OSR | 3.14.6 |
| Minimum 25mm toerail around foredeck | 3.17.1 |
| Permanently installed delivery pump and drinking water tank(s) | 3.21.1 |
| Emergency drinking water 9 ltrs additional | 3.21.3 |
| Drinking water : at least 3L / person/estimate race duration | OA |
| 2 strong buckets, each with lanyard and 9 litre min capacity | 3.23.1a |
| Permanently installed manual bilge pump operable with all hatches closed | 3.23.2 |
| Bilge pump neither connects to cockpit drains nor discharges into a closed | 3.23.3 |
| cockpit | |
| Marine magnetic compass, unpowered, with deviation card, and | 3.24 |
| 2nd compass, may be hand-held and/or electronic | 3.24c |
| No less than 2 halyards per mast, each capable of hoisting a sail | 3.25 |
| Propulsion engine provides minimum OSR speed | 3.28.1 |
| Sufficient fuel to charge batteries and motor as OSR peed for 5 hours | 3.28.3b |
| GPS | 3.29.8 |
| Sail letters and numbers meeting RRS 77 and appendix G | 4.01.1 |
| 2 anchors & warps | 4.06 |
| A knotmeter or distance measuring instrument (log) | 4.13.1 |
| One depth Sounder | 4.13.2 |
| Boat's name on buoyant equipment | 4.17.1 |
| Marine grade retro-reflective material on buoyant equipment | 4.18 |
| 4 red parachutes flares conforming to SOLAS LSA Code | OA |
| 2 white hand flares conforming to SOLAS LSA Code | OA |
| 4 red hand flares conforming to SOLAS LSA Code | 4.23 |
| 2 orange smoke flares conforming to SOLAS LSA Code | 4.23 |
| Signaling mirror | 4.20.2d |
| Survival blanket | OA |

| LIST OF RECOMMENDED MEDICINES AND EQUIPMENT ON BOARD OFF-SHORE RACING YACHTS WHO Format | | | | | |
|--|--|-------------------------|--------------------------|--|--|
| MEDICINES | | | | | |
| 1 | I | = | IV | | |
| ITEM | Recommended Medicine and Dosage | Recommended | Indications on Board | | |
| No | Strength Representing Best Practice on Board | Quantity for 10 Sailors | Off-Shore Racing | | |
| | Off-Shore Racing Yachts | on Board Off-Shore | Yachts | | |
| | | Racing Yachts (WS OSR | | | |
| | | Cat3) | | | |
| 1 | Acetylsalicylic acid 300mg tablet N02BA01 | 20 | To inhibit formation of | | |
| | | | blood clots in angina | | |
| | | | pectoris, | | |
| | | | myocardial infarction, | | |
| | | | stroke | | |
| 2 | Chloramphenicol S01AA01 or tetracycline eye | 1 | Eye infections | | |
| | ointment (4g) S01AA09 | | | | |
| 3 | Cinnarizine 15mg N07CA02 or dimenhydrinate + | 20 | To prevent and treat | | |
| | caffeine (30/10mg) tablet R06AA52 | | motion-sickness | | |
| 4 | Paracetamol 500mg tablet N02BE01 | 40 | To reduce pain and | | |
| | | | fever | | |
| 5 | Phloroglucinol 80mg A03AX12 or hyoscine | 10 | To relieve intestinal or | | |
| | butylbromide 10mg tablet A03BB01 | | urinary spasms | | |
| 6 | Silver sulfadiazine cream (50g) D06BA01 | 1 | Treatment of burns | | |
| 7 | Haemostatic dressing | 1 | Haemostatic agent | | |
| 8 | Elastic fixation bandage 6cm x 4m | 2 | Bandage | | |
| 9 | Adhesive surgical tape 2.5cm x 10m | 1 | Bandage | | |
| 10 | Wound wipes (Chlorhexidine) | 4 | Antiseptic | | |
| 11 | Adhesive elastic bandage 7.5cm x 4.5m | 2 | Bandage | | |
| 12 | Trauma tourniquet | 1 | Compressing device | | |
| | | | (bandage), to control | | |
| | | | bleeding | | |
| 13 | Eyewash sterile (20ml) | 4 | To cleanse the eyes | | |
| INSTRUMENTS | | | | | |
| 14 | Scissors surgical 12cm | 1 | Scissors | | |

| | EQUIPMENT | | | | | | | |
|-------------------------|---|----|---|--|--|--|--|--|
| RESUSCITATION EQUIPMENT | | | | | | | | |
| 15 | Oropharyngeal airway (Guedel / Mayo-tube) size 3 & 4 (medium & large) | 2 | Oropharyngeal airways | | | | | |
| 16 | Pocket face mask | 1 | For mouth-to-mouth resuscitation | | | | | |
| | DRESSING MATERIAL AND SUTURING EQUIPMENT | | | | | | | |
| 17 | Wound closure strips | 20 | Adhesive skin closures | | | | | |
| 18 | Assorted wound plasters | 20 | Adhesive dressing | | | | | |
| 19 | Adhesive wound dressing 10 x 10 cm | 5 | Adhesive dressing | | | | | |
| 20 | First aid absorbent gauze cowered cotton pad sewn onto a cotton bandage small | 1 | Sterile compressive bandages | | | | | |
| 21 | First aid absorbent gauze cowered cotton pad sewn onto a cotton bandage medium | 1 | Sterile compressive bandages | | | | | |
| 22 | First aid absorbent gauze cowered cotton pad sewn onto a cotton bandage large | 1 | Sterile compressive bandages | | | | | |
| 23 | Sterile gauze compresses 10 x 10cm | 3 | Sterile gauze compresses | | | | | |
| 24 | Low adherent dressing 10 x 10cm | 2 | Gauze dressing with non- adherent surface | | | | | |
| | GENERAL MEDICAL AND NURSING EQUIPMENT | | | | | | | |
| 25 | Cold pack | 2 | To reduce swelling and pain | | | | | |
| | IMOBILIZATION AND TRANSPORTATION EQUIPMENT | | | | | | | |
| 26 | Malleable splint | 2 | For immobilizing bone and soft tissue injuries | | | | | |
| 27 | Neck collar, semi-rigid, adjustable | 1 | For neck immobilization | | | | | |

2/2



PLB RENTAL for the New Caledonia Groupama Race 2022

Form to be returned to the CNC before April 19, 2022.

The organization offers the possibility of renting PLBs for 6 800 XPF /beacon.

Please note in the table below the name and surname of the people of your crew (including you) wishing to rent PLB for the race.

| | Name of boat : | | |
|----|----------------|------------|-------|
| | Last Name | First Name | Price |
| 1 | | | 6 800 |
| 2 | | | 6 800 |
| 3 | | | 6 800 |
| 4 | | | 6 800 |
| 5 | | | 6 800 |
| 6 | | | 6 800 |
| 7 | | | 6 800 |
| 8 | | | 6 800 |
| 9 | | | 6 800 |
| 10 | | | 6 800 |
| 11 | | | 6 800 |
| 12 | | | 6 800 |
| | | Total | |

Form to be sent by mail : <u>contact@groupamarace.nc</u> For more information, do not hesitate to contact us.