

Yacht Name:

Groupama Race 2024 Card Inspection Monohull

Name on the race:

The skipper is responsible for checking that the boat and its equipment comply with the Special Offshore Regulations for World Sailing offshore racing. This list is not exhaustive and reference should be made to the Special Offshore World Sailing Regulations published in full on the World Sailing website:

https://d7qh6ksdplczd.cloudfront.net/sailing/wp-content/uploads/2023/12/20090409/2024-2025-Offshore-Special-Regulations cover v3.pdf

New Caledonia GROUPAMA RACE 2024 is an offshore race ORS 3 + Liferaft and OA specifications (CF NOR) The Organizing Authority (OA) also imposes additional equipment (see notice of race). This additional equipment is specified in this list by the mention OA.

- Person in charge please prepare the boat and sign the card.
- Inspectors mark each item with a tick or cross in the check box. Write an additional report if necessary.

When the Organising Authority (AO) recommends additional equipment, this is specified in this list by: optional OA.

MMSI		Sail Number :			
Indicatif VHF		Type of boat			
Satellite phone number :		Rating certificat	ORC – IRC - other		
<u>Crew members</u> :					
Number of crew :	Safety equipment persons on box	ent must be commensurate ward.	ith the number of		
At least 30% of the crew including the skipper shall have completed at Sea survival Certificate World Sailing approved. Copies of the crew members current certificates shall be provided. At least one crew member on the boat shall have a Senior First Aid Certificate or equivalent or higher qualification. All crew shall have a Personal Location Beacon. PLB 406 beacon worn at all time. The club offers individual beacons for rent (PLB 406) at a rate of 9500 F, with the form at the end of the document to be returned to the CNC before April 9, 2024.					
Person in charge :		Tel:			
Inspectors: Date:					
Non-conforming points AC)	at the end of the 1st co	ontrol concerning all app	olicable rules (RSO, RC,		

Disclaimer of Liability: The inspection is carried out as a courtesy. An inspector cannot limit or reduce the complete and unlimited responsibility of the owner and the person in charge.

""I, the undersigned, declare that I am the owner or the person responsible for the above-named boat and that I have read and understood the provisions of the Special Offshore Regulations applicable during the race (RSO 3 with raft) and in particular chapters 1.02. 1, 1.02.2 and 1.02.03 (Responsibilities of the person in charge) and chapters 2.02 (Control) and 2.03 (General obligations). I also certify that the boat and the crew for which I am responsible comply with all the applicable provisions relating to monohull category 3 RSO with raft, as well as the government provisions in force concerning the safety and equipping of ships (division 240 category B ship) and only to the specific requests of the organizing authority in terms of safety."

DATE: NAME: SIGNATURE:

This list, which is not exhaustive, takes into account the provisions of the RSO Category 3R, the imperatives of Maritime Affairs and the specific requests of the Organizing Authority.

All equipment shall: function properly; be regularly checked, cleaned, and serviced; when not in use be. stowed in conditions in which deterioration is minimised; be readily accessible; be of a type, size and capacity suitable and adequate for the intended use and size of the boat.

Heavy items must be securely fastened or fixed in place.

	Transmission	Reception
VHF minimum power 25 watts audible inside and outside the boatASN		
linked to GPS		
AIS Transponder capable of transmitting & receiving		
1 waterproof portable VHF radio transceiver stored in a safety bag or emergency		
container.		
Radio receiver for weather bulletins (handheld VHF ok)		
Satellite phone number		
Location beacon provided by the organization		
406MHz EPIRB - identity number?	OA optional	

Identification		
	Transmission	Reception
Sails Numbers as per RRS appendix G		
Name on all buoyant equipment & items		

Lay out on Chart Table or other Surface			
	Special	Ownercheck	Completed
	Regs		Inspection /Comment
Proof that boat meets ISO 12217-2 category B or equivalent stability	3.04.1		
Navigational charts (not solely electronic), light list and chart plotting equipment Suggested nautical charts: SHOM 7268 – Nouvelle-Calédonie - Iles Loyauté SHOM 6687 - Outskirts of Noumea - Passes of Boulari and Dumbea SHOM 7273 - from Noumea at the bay of Saint Vincent SHOM 7320 - from Koumac to Poum SHOM 7645 - Canal of the Havannah and canal woodin SHOM 6986 from port Ounia to Cap N'doua SHOM 7051 from cap Colnett to Touho	4.11.1		
Servicing certificate for each liferaft	4.20.5b		

Lay out on bunks		
PLBs : regulary tested, registred with AMSA in user's name	OA	
	Ref NOR 3.2	
AIS receiver	OA optional	
Personal AIS beacon if an AIS receiver is on board	OA	
	Ref NOR 3.2	
Emergency antenna when the regular antenna depends upon the	3.29.1	
mast		
1 watertight handheld VHF radio transceiver or with a waterproof cover	3.29.5	
stowed in grab bag		
2nd radio capable of receiving weather, could be the handheld VHF	3.29.06	

First Aid Manual and First Aid Kit	4.08
On board pharmacy: appendix 1	OA
Foghorn	4.09
Tools, spare parts, method to disconnect/sever standing rigging	4.16
Check all flare expiry dates	4.23
Personal PFD (150N): 1 per crew	5.01
Worn on deck at all time	
Whistle attached	
Crotch or thigh straps fitted	
Personal light (strobe or SOLAS LSA 2.2.3)	
At least one spare PFD (as required in OSR 5.01.1) is required	5.01.3
Lifejacket with light, whistle etc, 1 for each crew, marked with name	5.01.1
Each lifejacket has crotch or thigh straps	5.01.1
Each lifejacket has a sprayhood	5.01.1
Each inflatable lifejacket has spare cylinder (activation head)	5.01.2
	OA
	optional
A boat must carry at least one spare gas cartridge, and, if applicable, one	OA
spare firing pin, for each type of lifejacket on board.	
Each lifejacket inspected by person in charge, within last 12 months	5.01.4
Safety harness for each crew	5.02.1
For each crew. tether with overload flag	5.02.2
	Optional
	OA:
	overload
	flag
For each crew a tether not exceeding 1m (3'3") including the length of	5.02.3
the hooks, or an intermediate self-closing hook on a 2 m (6'-6") tether	

BELOW DECK On one or more berths show the following:		
At least 2 exits, at least 1 forward of the foremost mast	3.06.1	
Portlights not conforming with 3.08.1 and 3.08.2 labelled "NOT TO BE OPENED AT SEA"	3.08.3	
Sea cocks or valves on through-hull openings below waterline	3.10	
Heel of keel-stepped mast is secured to structure	3.12	
Toilet or fitted bucket, permanently installed	3.18.2	
Bunks, permanently installed	3.19.2	
Cooking stove, securely fastened with fuel shut-off	3.20	
Water delivery pump and tank	3.21.1	
Handholds below deck	3.22	
Spare bulbs for navigation lights (not required for LED)	3.27.4	
Engine permanently installed and securely covered	3.28.1	
Separate starting battery or hand-starting device	3.28.4a	
All batteries are of sealed type	3.28.4b	
25W DSC enabled VHF with masthead antenna & programmed MMSI	3.29.2	
Tapered soft wood plug at each through-hull fitting	4.03	
A fire blanket adjacent to every cooking device	4.05.1	
2 fire extinguishers, 2kg each, accessible, in different parts of the boat	4.05.2	
Safety equipment location chart	4.12	

At Helm, Ready for Rapid Deployment		
Lifebuoy with self-igniting light, whistle and drogue	4.22.3	
Heaving line min.6mm, 15-25m	4.22.7	
Recovery sling	4.22.8	

On Deck, Where Stowed or Ready for Deployment		
Hatch blocking devices attached and can be secured in place	3.08.4b	
Watertight high powered searchlight with spare batteries and bulbs	4.07a	
Watertight flashlight with spare batteries and bulbs	4.07b	
Liferaft(s) capable of carrying the whole crew	4.20.1a	
N° of liferaft Total crew capacity		
Liferaft SOLAS A Pack	4.20.2a	
Liferaft(s) stowed in rigid container, or valise in dedicated locker	4.20.3	
A strong, sharp knife, sheathed and securely restrained	4.25	

Rigged/Fitted to Demonstrate Use		
Navigation lights, above sheerline and not obscured when sailing	3.27.2	
Reserve navigation lights, powered independently	3.27.3	
Alternate method for displaying sail letters and numbers	4.01.2	
Jackstays to permit crew to move between working areas	4.04.2	
Clipping points at working areas so that 2/3rds crew can clip on	4.04.3c	
Radar reflector	4.10.1	
Emergency tiller	4.15.1	
Alternative steering method	4.15.2	
Storm trysail or mainsail reefing to reduce the luff by at least 40%	4.26.1c	
Heavy weather jib	4.26.2	

General	
All equipment is readily available, adequately sized and functions	2.04.1
Heavy items are permanently installed or securely fastened	2.04.2
Boat properly rigged, fully seaworthy and shall meet the OSR	3.01.1
Forward hatches open outward only	3.08.1
Hatches are attached, above water at 90° heel & operable if capsized	3.08.2
Companionway sill is above local sheerline, or acceptable alternative	3.08.5
Cockpit that self-drain quickly by gravity at all angles of heel and meets OSR size and drainage	3.09
Lifelines & pulpits, surround deck, 600mm minimum high	3.14
Lifeline materials and diameters meet OSR	3.14.6
Minimum 25mm toerail around foredeck	3.17.1
Permanently installed delivery pump and drinking water tank(s)	3.21.1
Emergency drinking water 9 ltrs additional	3.21.3
Drinking water : at least 3L / person/estimate race duration	OA
2 strong buckets, each with lanyard and 9 litre min capacity	3.23.1a
Permanently installed manual bilge pump operable with all hatches closed	3.23.2
Bilge pump neither connects to cockpit drains nor discharges into a closed cockpit	3.23.3
Marine magnetic compass, unpowered, with deviation card, and	3.24
2nd compass, may be hand-held and/or electronic	3.24c
No less than 2 halyards per mast, each capable of hoisting a sail	3.25
Propulsion engine provides minimum OSR speed	3.28.1
Sufficient fuel to charge batteries and motor as OSR peed for 5 hours	3.28.3b
GPS	3.29.8
Sail letters and numbers meeting RRS 77 and appendix G	4.01.1
2 anchors & warps	4.06
A knotmeter or distance measuring instrument (log)	4.13.1
One depth Sounder	4.13.2

Boat's name on buoyant equipment	4.17.1	
Marine grade retro-reflective material on buoyant equipment	4.18	
4 red parachutes flares conforming to SOLAS LSA Code	OA	
2 white hand flares conforming to SOLAS LSA Code	OA	
	optional	
4 red hand flares conforming to SOLAS LSA Code	4.23	
2 orange smoke flares conforming to SOLAS LSA Code	4.23	
Signaling mirror	4.20.2d	
Survival blanket	OA	

Appendix 1: On-board pharmacy

EQUIPMENT								
RESUSCITATION EQUIPMENT								
15	Oropharyngeal airway (Guedel / Mayo-tube) size 3 & 4 (medium & large)	2	Oropharyngeal airways					
16	Pocket face mask	1	For mouth-to-mouth resuscitation					
	DRESSING MATERIAL AND SUTURING EQUIPMENT							
17	Wound closure strips	20	Adhesive skin closures					
18	Assorted wound plasters	20	Adhesive dressing					
19	Adhesive wound dressing 10 x 10 cm	5	Adhesive dressing					
20	First aid absorbent gauze cowered cotton pad sewn onto a cotton bandage small	1	Sterile compressive bandages					
21	First aid absorbent gauze cowered cotton pad sewn onto a cotton bandage medium	1	Sterile compressive bandages					
22	First aid absorbent gauze cowered cotton pad sewn onto a cotton bandage large	1	Sterile compressive bandages					
23	Sterile gauze compresses 10 x 10cm	3	Sterile gauze compresses					
24	Low adherent dressing 10 x 10cm	2	Gauze dressing with non- adherent surface					
GENERAL MEDICAL AND NURSING EQUIPMENT								
25	Cold pack	2	To reduce swelling and pain					
IMOBILIZATION AND TRANSPORTATION EQUIPMENT								
26	Malleable splint	2	For immobilizing bone and soft tissue injuries					
27	Neck collar, semi-rigid, adjustable	1	For neck immobilization					

LIST OF RECOMMENDED MEDICINES AND EQUIPMENT ON BOARD OFF-SHORE RACING YACHTS						
WHO Format MEDICINES						
1	II	IV				
ITEM No	Recommended Medicine and Dosage Strength Representing Best Practice on Board Off-Shore Racing Yachts	Recommended Quantity for 10 Sailors on Board Off-Shore Racing Yachts (WS OSR Cat3)	Indications on Board Off-Shore Racing Yachts			
1	Acetylsalicylic acid 300mg tablet N02BA01	20	To inhibit formation of blood clots in angina pectoris, myocardial infarction, stroke			
2	Chloramphenicol S01AA01 or tetracycline eye ointment (4g) S01AA09	1	Eye infections			
3	Cinnarizine 15mg N07CA02 or dimenhydrinate + caffeine (30/10mg) tablet R06AA52	20	To prevent and treat motion-sickness			
4	Paracetamol 500mg tablet N02BE01	40	To reduce pain and fever			
5	Phloroglucinol 80mg A03AX12 or hyoscine butylbromide 10mg tablet A03BB01	10	To relieve intestinal or urinary spasms			
6	Silver sulfadiazine cream (50g) D06BA01	1	Treatment of burns			
7	Haemostatic dressing	1	Haemostatic agent			
8	Elastic fixation bandage 6cm x 4m	2	Bandage			
9	Adhesive surgical tape 2.5cm x 10m	1	Bandage			
10	Wound wipes (Chlorhexidine)	4	Antiseptic			
11	Adhesive elastic bandage 7.5cm x 4.5m	2	Bandage			
12	Trauma tourniquet	1	Compressing device (bandage), to control bleeding			
13	Eyewash sterile (20ml)	4	To cleanse the eyes			
INSTRUMENTS						
14	Scissors surgical 12cm	1	Scissors			



PLB RENTAL for the New Caledonia Groupama Race 2024

Form to be returned to the CNC before April 09, 2024.

The organization offers the possibility of renting PLBs for 9500 XPF /beacon.

Please note in the table below the name and surname of the people of your crew (including you) wishing to rent PLB for the race.

	Name of boat :		
	Last Name	First Name	Price
1			9500
2			9500
3			9500
4			9500
5			9500
6			9500
7			9500
8			9500
9			9500
10			9500
11			9500
12			9500
		Total	

Form to be sent by mail: contact@groupamarace.nc
For more information, do not hesitate to contact us.